

**Anti-PB-22, synthetic
cannabinoid, IgG****Rabbit Polyclonal Antibody
Catalog #1086 Lot P1121**

LIMITATIONS: THIS PRODUCT IS FOR RESEARCH USE ONLY AND IS NOT APPROVED FOR THERAPEUTIC OR DIAGNOSTIC USE.

Background:

The Tulip Biolabs, Inc. Anti-PB-22, synthetic cannabinoid, Cat. #1086, is a rabbit polyclonal IgG antibody. It has been used in a competitive ELISA format to test the presence of PB-22 metabolites and other synthetic cannabinoids. Cross-reactivity of various tested compounds are listed in Table 1, and sensitivity to detect PB-22 N-pentanoic acid analogue, a major metabolite in human urine, is shown in Figure 1.

Note: If this antibody is used in an immunoassay to detect synthetic cannabinoids, suspect test samples must be confirmed using an alternative analytical method, for example LC-MS-MS.

Immunogen:

PB-22 conjugated to a carrier protein.

Supplied As:

2 mg/ml of protein A purified rabbit IgG in phosphate buffered saline with 0.05% sodium azide preservative.

Storage and Stability:

Stable for 1 year from date of shipment when stored at -20 or -70°C. Stable for at least 1 month at 4°C. Avoid freeze/thaw cycles.

Specificity and Comments:

Recognizes the synthetic cannabinoid PB-22 N-5-hydroxy and N-pentanoic acid analogues (metabolites found in human urine) and other synthetic cannabinoid metabolites. There is significant cross-reactivity to JWH-018, JWH-250, and MAM2201 metabolites plus NNEI (MN-24)(see Table 1).

Applications and Suggested Dilutions:

ELISA (for 96-well plate coating use 1-3µg/mL)
Note: This antibody is used in the Cat. #4600 PB-22 Synthetic Cannabinoid ELISA Assay kit.
Other methods not tested.

Please note: This information is intended as a guide. The optimal concentrations must be determined by the user.

Tulip BioLabs Other Related Products:**Catalog #4600**

PB-22 Synth Cannabinoids ELISA Kit.

Catalog #1066

Anti-K2/Spice, synthetic cannabinoids, IgG, rabbit polyclonal antibody.

Catalog #1072

Anti-JWH-250 (K2/Spice), IgG, rabbit polyclonal antibody.

Catalog #1083

Anti-UR-144/XLR-11 Synthetic Cannabinoid, IgG, sheep polyclonal antibody.

Original Reference:

N/A

Useful References:


J.W. Huffman and D. Dai (1994) *Bioorg Med Chemistry* **4** 563
S. Dresen *et al.* (2010) *J Mass Spectrometry* **45** 760
M. Hutter *et al.* (2012) *J Mass Spectrometry* **47** 54
A. Wohlfarth *et al.* (2013) *Anal Chem* **85** 3730

Table 1. Drug and Metabolite Cross-Reactivity Relative to PB-22 N-5-hydroxy metabolite (100 ng/mL)

Compound	Cross-reactivity, %
PB22 N-5-hydroxy	100.0
PB22 N-pentanoic acid	99.6
JWH250 N-pentanoic acid	53.3
JWH250 N-4-hydroxy	46.6
NNEI (MN-24)	23.1
JWH018 N-5-hydroxy	22.1
MAM2201 N-4-hydroxy	20.1
JWH018 N-pentanoic acid	13.8
ADB-FUBINACA	neg
MN25	neg
AB-PINACA N-5-hydroxy	neg
ADB-PINACA	neg
UR144 N-5-hydroxy	neg
UR144 N-pentanoic acid	neg
AKB48 N-4-hydroxy	neg
AKB48 N-pentanoic acid	neg

Note: Cross-reactivity was determined using Tulip Biolabs Cat. #4600 PB-22 Synthetic Cannabinoid ELISA Assay Kit. This ELISA incorporates microplates coated with anti-PB-22 (Cat. #1086).

Figure 1: PB-22 Metabolite Standard Curve



Note: PB-22 N-pentanoic acid was measured using Tulip Biolabs Cat. #4600 PB-22 Synthetic Cannabinoid ELISA Assay Kit . This ELISA incorporates microplates coated with anti-PB-22 (Cat. #1086).