
RevMAb	
Blosciences	RevMAb Biosciences USA, Inc.
www.revmab.com	870 Dubuque Ave, South San Francisco, CA 94080, USA


Certificate of Analysis

Intended Use:	For Research Use Only Not for Diagnostic or
Country of Origin:	U.S.A.
Stability:	Two Years
Storage:	Store at 2-8°C.
Usage:	WB: 0.1 μg/mL – 1 μg/mL; IP: 0.5 μg/mL – 2 μg/mL; ICC, FC: 0.5 μg/mL – 2 μg/mL.
Buffer:	PBS with 1% BSA and 0.09% sodium azide
Size:	100 µg
Purity:	Protein A affinity purified from an animal origin–free culture supernatant
Immunogen:	Mixture of a peptide with 6xHis-Tag at the N-terminus and another peptide with 6xHis-Tag at the C-terminus.
Application:	Western Blot, Immunoprecipitation, Immunocytochemistry, Flow Cytometry
Specificity	This antibody reacts to recombinant proteins containing the 6xHis-Tag or 10xHis-Tag fused to either the amino or carboxy terminus. No cross reactivity with other endogenous protein in mammalian or bacteria cells.
Clone	RM146
Lot No.:	
Catalog No.:	31-1048-00
	Anti-His-Tag Rabbit Monoclonal Antibody, Clone RM146
Product:	Rabbit Monoclonal Antibody

Therapeutic Use



Western blot of 293T cells (1) untransfected or (2) transfected with His-Tag fusion protein X and (3) E. coli lysate without His-Tag Protein Y (4) E. coli lysate with His-Tag Protein Y, using RevMAb Clone RM146 at 0.2 μ g/mL.



Immunoprecipitation of 293T cells expressing a His-Tag fusion protein by RevMAb clone RM146, was blotted with RM146. (1) Whole lysate control; (2) IP by rabbit IgG control; (3) IP by RM146.